


# INDUSTRIAL AND FIREFIGHTING CATALOG



"Your Mission is our Mission"



**Our Company Proudly Supports Green Practices** 

Printed on recycled paper with non-toxic, biodegradable ink

2012 VOLUME 1 CAGE OXGL1

## PROCUREMENT OPTIONS





**Rayco Supply Contact Information** 

Phone: 757-431-0698

Fax: 757-431-2634

Email: Rayco@raycosupply.com


www.raycosupply.com



# TABLE OF CONTENTS

Rayco Supply, Inc. Contracts	2
Table of Contents	3
Clothing	4-13
Shipboard Items & Damage Control	14-29
Tools	30-40
Welding	41-45
Material Storage & Handling	46-47
Metals & Fittings	48-49
Plumbing	50-55
Abrasives & Engraving	56-59
Green Items.	60-61
Insurv Items & Check-Off List	62-64
Rayco Line Card - Other Products Offered	65

# Damage Control



Proximity Gear Extinguishers

AFFF Rescue Equipment

Fire Hoses and Nozzles

T-Wrenches Flash Gear popo Kits

Spanner Wrenches DRAEGER FFE Suits

# PROXIMITY GEAR

Aluminized Pbi<sup>TM</sup>/Kevlar®







PART NUMBER	DESCRIPTION
486211B9	Boots, Proximity Size 9
486211B10	Boots, Proximity Size 10
486211B11	Boots, Proximity Size 11
486211B12	Boots, Proximity Size 12
486211B13	Boots, Proximity Size 13
486211B14	Boots, Proximity Size 14
486211B15	Boots, Proximity Size 15









PART NUMBER	DESCRIPTION
48LTO76I2TCM	Proximity Jacket, Medium, 42" Chest 2007
48LTO76I2TPM	Proximity Pants, Medium, 40" Waist 2007
48GLBPRRWAM	Proximity Gloves, Medium 2007
48LTO76I2TCL	Proximity Jacket, Large, 46" Chest 2007
48LTO76I2TPL	Proximity Pants, Large, 42" Waist 2007
48GLBPRRWAL	Proximity Gloves, Large 2007
48LTO76I2TCXL	Proximity Jacket, X-Large, 50" Chest 2007
48LTO76I2TPXL	Proximity Pants, X-Large, 44" Waist
48GLBPRRWAXL	Proximity Gloves, X-Large 2007
48HTLPLITEFRC	Proximity Helmet, Lite Force PLUS 2007
48NC9313491	Proximity Faceshield 2007
48HP2PFSC	Proximity Faceshield Flannel Cover 2007
48HPPEFMIL	Proximity Helmet Shroud
48SPDBC	Proximity Suspenders 2007

## FIRE FIGHTING & ANTI-FLASH

D	D			
PART NUMBER	DESCRIPTION			
48LTO032V2LR	FPG 1 PC Navy Approved LG			
48LTO032V2XLR	FPG 1 PC Navy Approved XLG			
4819821499	Steamblock FF Gloves, Medium			
4819821497	Steamblock FF Gloves, Large			
4819821500	Steamblock FF Gloves, X-Large			
48LFH3712A42	Helmet, Fire Fighting			
48R30	Faceshield, Amber 4"			
482410CY	Stealthlight, Yellow LED			
482400CY	Stealthlight, Yellow			
482400B	Stealthlight, Black			
482400O	Stealthlight, Orange			
482400LG	Stealthlight, Green			
48750	Stainless Steel Helmet Light Bracket			













PART NUMBER	DESCRIPTION
RB2679661	Anti - Flash Gloves
4819813396	FFE PBI Gold Hood
48191202419	GQ Anti-Flash Hood







## FIRE FIGHTING PROTECTION

PART NUMBER	DESCRIPTION
48NC9135852	Blue ENG Coverall, M - Navy (38-40)
48NC9135853	Blue ENG Coverall, L - Navy (42-44)
48NC9135854	Blue ENG Coverall, XL - Navy (46-48)
48NC9107165	Blue ENG Coverall, XXL - Navy (50-52)
48JSNV1590M	Red END Coverall, M - Navy (38-40)
48JSNV1590L	Red ENG Coverall, L - Navy (42-44)
48JSNV1590XL	Red ENG Coverall, XL - Navy (4648)



## More Sizes Available!! Contact your Rayco Representative!!

Alpha Size	Neck	Sleeve	Chest
S	14-14.5	33.5	34-36
ST	14-14.5	35	34-36
M	15-15.5	34	38-40
MT	15-15.5	35.5	38-40
L	16-16.5	34.5	42-44
LT	16-16.5	36	42-44
XL	17-17.5	35	46-48
XLT	17-17.5	36.5	46-48
2XL	18-18.5	35.5	50-52
2XLT	18-18.5	37	50-52
3XL	19-19.5	36	54-56
3XLT	19-19.5	37.5	54-56
4XL	20-20.5	36.5	58-60
4XLT	20-20.5	38	58-60
SXL	21-21.5	37	62-64
SXLT	21-21.5	38.5	62-64

**Chest:** Measurement should be taken around the fullest part of the chest, just under the arms and across the shoulder blades.

Waist: Measure around waist (not pulling tightly) at the height you prefer to wear the waistband.


**Inseam:** Measure from the crotch to the bottom.

**Sleeve:** With the arms hanging down by the side, measure from the center of the back, across the shoulder, down the outside of the arm to the bottom of the wrist.









# FLIGHT DECK PROTECTION



PART NUMBER	DESCRIPTION				
76276073	Gloves, Flight Deck Black, Small				
76276074	Gloves, Flight Deck Black, Medium				
76276075	Gloves, Flight Deck Black, Large				
76276076	Gloves, Flight Deck Black, X-Large				
76276016	Gloves, Flyer Green, Sz 10				
76276055	Gloves, Fuel Handler, Large				
48198113510	ESS Goggles with Shadow Lens				
482410FDW	Military Flight Deck Wand, Multi-Color				













# FLIGHT DECK BOOTS











PART NUMBER	DESCRIPTION
76B21516	Boots, Flight Deck US Navy Approved, Black, 6
76B2517	Boots, Flight Deck US Navy Approved, Black, 7
76B2518	Boots, Flight Deck US Navy Approved, Black, 8
76B2519	Boots, Flight Deck US Navy Approved, Black, 9
76B25110	Boots, Flight Deck US Navy Approved, Black, 10
76B25111	Boots, Flight Deck US Navy Approved, Black, 11
76B25112	Boots, Flight Deck US Navy Approved, Black, 12
76B25113	Boots, Flight Deck US Navy Approved, Black, 13
76B25114	Boots, Flight Deck US Navy Approved, Black, 14
76B25115	Boots, Flight Deck US Navy Approved, Black, 15
PART NUMBER	DESCRIPTION
76BR2516	Boots, Flight Deck US Navy Approved, Brown, 6
76BR2517	Boots, Flight Deck US Navy Approved, Brown, 7
76BR2518	Boots, Flight Deck US Navy Approved, Brown, 8
76BR2519	Boots, Flight Deck US Navy Approved, Brown, 9
76BR25110	Boots, Flight Deck US Navy Approved, Brown, 10
76BR25111	Boots, Flight Deck US Navy Approved, Brown, 11
	Booto, Flight Book of Havy Approved, Brown, 11
76BR25112	Boots, Flight Deck US Navy Approved, Brown, 12
76BR25112 76BR25113	
	Boots, Flight Deck US Navy Approved, Brown, 12





Phone: 757-431-0698 Fax: 757-431-2634

E-mail: Rayco@raycosupply.com



### Flight Deck Pant Size Chart

<u>Navy Blue</u>	<u>Khaki</u>


Rayco P/N	Waist	Length	Inseam	Rayco P/N	Waist	Length	Inseam
761107B2630C1	26	Short	30	761107B2630C2	26	Short	30
761107B2632C1	26	Regular	32	761107B2632C2	26	Regular	32
761107B2634C1	26	Long	34	761107B2634C2	26	Long	34
761107B2636C1	26	X-Long	36	761107B2636C2	26	X-Long	36
76015006964C1	28	Short	30	76015006964C2	28	Short	30
76015006984C1	28	Regular	32	76015006984C2	28	Regular	32
76015006968C1	28	Long	34	76015006968C2	28	Long	34
76015006989C1	28	X-Long	36	76015006989C2	28	X-Long	36
76015006991C1	30	Short	30	76015006991C2	30	Short	30
76015006994C1	30	Regular	32	76015006994C2	30	Regular	32
76015006999C1	30	Long	34	76015006999C2	30	Long	34
76015007002C1	30	X-Long	36	76015007002C2	30	X-Long	36
76015007253C1	32	Short	30	76015007253C2	32	Short	30
76015007256C1	32	Regular	32	76015007256C2	32	Regular	32
76015007263C1	32	Long	34	76015007263C2	32	Long	34
76015007267C1	32	X-Long	36	76015007267C2	32	X-Long	36
76015007270C1	34	Short	30	76015007270C2	34	Short	30
76015007274C1	34	Regular	32	76015007274C2	34	Regular	32
76015007278C1	34	Long	34	76015007278C2	34	Long	34
76015007286C1	34	X-Long	36	76015007286C2	34	X-Long	36
76015007290C1	36	Short	30	76015007290C2	36	Short	30
76015007291C1	36	Regular	32	76015007291C2	36	Regular	32
76015007297C1	36	Long	34	76015007297C2	36	Long	34
76015007301C1	36	X-Long	36	76015007301C2	36	X-Long	36
76015007304C1	38	Short	30	76015007304C2	38	Short	30
76015007313C1	38	Regular	32	76015007313C2	38	Regular	32
76015007315C1	38	Long	34	76015007315C2	38	Long	34
76015007319C1	38	X-Long	36	76015007319C2	38	X-Long	36
76015007324C1	40	Short	30	76015007324C2	40	Short	30
76015007328C1	40	Regular	32	76015007328C2	40	Regular	32
76015007332C1	40	Long	34	76015007332C2	40	Long	34
76015007336C1	40	X-Long	36	76015007336C2	40	X-Long	36

In accordance with new specification IAW NCTRF-PD-11-07B January 2011


ALL TROUSERS ARE BERRY AMENDMENT COMPLIANT

FIRE RESISTANT & MOISTURE WICKING

Other sizes are available through special order. Please call for pricing and delivery information



## FLIGHT SUIT



- Two piece flight suit designed specifically for Naval and Marine Avioators with end-user in put
- Increased durability and FR performance
- · 2 piece ensemble increases air flow
- Unique design features to improve fit, increase range of motion and reduce snag hazards
- Designed to meet Navy NAVAIR end-user specifications
- · Antimicrobial to resist odor
- · Moisture-wicking and fast-drying
- · Only available in Sage Green

SHIRTS				-		TROUSER	ς			
Size		Chest	Height	Back Length	Sleeve Length	Size	1	Waist	Inseam	Outseam
	X-Short	- 33	- 63	27 1/8"	22 1/4"		X-Short	- 27	- 26 1/2"	37 3/4"
	Short	- 33	63 - 67	28 1/8"	23 1/4"		Short	- 27	26 1/2" - 29 1/2"	40 1/4"
X-Small	Regular	- 33	67 -	29 5/8"	24 1/4"	X-Small	Regular	- 27	29 1/2" - 32 1/2"	42 3/4"
							Long	- 27	32 1/2" -	45 1/4"
	XX-Short	33 - 37	- 59	26 5/8"	21 3/4"		X-Short	27 - 31	- 26 1/2"	38 1/4"
	X-Short	33 - 37	59 - 63	27 5/8"	22 3/4"	Small	Short	27 - 31	26 1/2" - 29 1/2"	40 3/4"
Small	Short	33 - 37	63 - 67	28 5/8"	23 3/4"		Regular	27 - 31	29 1/2" - 32 1/2"	43 1/4"
	Regular	33 - 37	67 - 71	30 1/8"	24 3/4"		Long	27 - 31	32 1/2" - 35 1/2"	45 3/4"
	Long	33 - 37	71 - 75	31 1/2"	25 3/4"		X-Long	27 - 31	35 1/2" -	48 1/4"
	X-Long	33 - 37	75 -	32 7/8"	26 3/4"					
	XX-Short	37 - 41	- 59	27 1/8"	22 1/4"		X-Short	31 - 35	- 26 1/2"	38 1/4"
	X-Short	37 - 41	59 - 63	28 1/8"	23 1/4"		Short	31 - 35	26 1/2" - 29 1/2"	41 1/4"
Medium	Short	37 - 41	63 - 67	29 1/8"	24 1/4"	Medium	Regular	31 - 35	29 1/2" - 32 1/2"	43 3/4"
riedidili	Regular	37 - 41	67 - 71	30 5/8"	25 1/4"	Medidili	Long	31 - 35	32 1/2" - 35 1/2"	46 1/4"
	Long	37 - 41	71 - 75	32"	26 1/4"		X-Long	31 - 35	35 1/2" -	48 3/4"
	X-Long	37 - 41	75 -	33 3/8"	27 1/4"					
	X-Short	41 - 45	- 63	28 5/8"	23 3/4"		Short	35 - 39	- 29 1/2"	41 3/4"
	Short	41 - 45	63 - 67	29 5/8"	24 3/4"		Regular	35 - 39	29 1/2" - 32 1/2"	44 1/4"
Large	Regular	41 - 45	67 - 71	31 1/8"	25 3/4"	Large	Long	35 - 39	32 1/2" - 35 1/2"	46 3/4"
	Long	41 - 45	71 - 75	32 1/2"	26 3/4"		X-Long	35 - 39	35 1/2" -	49 1/4"
	X-Long	41 - 45	75 -	33 7/8"	27 3/4"					
	Regular	45 -	- 71	31 5/8"	26 1/4"		Short	39 -	- 29 1/2"	42 1/4"
X-Large	Long	45 -	71 -	33"	27 1/4"	X-Large	Regular	39 -	29 1/2" - 32 1/2"	44 3/4"
	1	1					Long	39 -	32 1/2" - 35 1/2"	47 1/4"



PART NUMBER	DESCRIPTION
76PHX2JAKHMR	Flight Suit, Navy Approved, Jacket for 2-pc, Khaki, Moisture Wicking FR, Size Medium Regular
76PHX2JAKHML	Flight Suit, Navy Approved, Jacket for 2-pc, Khaki, Moisure Wicking FR, Size Medium Long
76PHX2JAKHLR	Flight Suit, Navy Approved, Jacket for 2-pc, Khaki, Moisure Wicking FR, Size Large Regular
76PHX2JAKHLL	Flight Suit, Navy Approved, Jacket for 2-pc, Khaki, Moisure Wicking FR, Size Large Long
76PHX2PAKHMR	Flight Suit, Navy Approved, Pant for 2-pc, Khaki, Moisure Wicking FR, Size Medium Regular
76PHX2PAKHML	Flight Suit, Navy Approved, Pant for 2-pc, Khaki, Moisure Wicking FR, Size Medium Long
76PHX2PAKHLR	Flight Suit, Navy Approved, Pant for 2-pc, Khaki, Moisure Wicking FR, Size Large Regular



NAVAIR APPROVED FOR ALL NON-EJECTABLE AIRCRAFTS!!

## FLIGHT SUIT ACCESSORIES



#### ULTRA-LIGHTWEIGHT SHORT SLEEVE

- · Perfect base layer for other DRIFIRE garments
- Ribbed collar maintains shape
- · Soft fabric prevents chafing
- Dropped-shoulder, flat-lock seams for no-rub comfort
- Antimicrobial to resist odor
- Moisture-wicking and fast-drying
- Only available in Black



#### ULTRA-LIGHTWEIGHT BOXER BRIEF

- Perfect base layer for other DRIFIRE garments
- · Soft fabric prevents chafing
- · Antimicrobial to resist odor
- Moisture-wicking and fast-drying
- Only available in Black





#### NAVY COMBAT TOP

- Convenient, integrated elbow-pad system
- Abrasion-resistant fabric on elbows for increased durability
- Velcro placket venting eliminates zippers
- Raglan sleeves with comfort lining in shoulder for no-rub comfort
- Antimicrobial to resist odor
- Moisture-wicking and fast-drying
- · Only available in Khaki

PART NUMBER	DESCRIPTION
76DF4505TSBLM	Tee, Ultra-Lightweight, Black, Wicking FR Fabric, Medium
76DF4505TSBLL	Tee, Ultra-Lightweight, Black, Wicking FR Fabric, Large
76DF4505BBDSM	Briefs, Boxer, Ultra-Lightweight, Desert Sand, Wicking FR Fabric, Medium
76DF4505BBDSL	Briefs, Boxer, Ultra-Lightweight, Desert Sand, Wicking FR Fabric, Large
76DF27129CSMR	Top, Combat, Navy Aprroved, Khaki, Size Medium Regular
76DF27129CSLR	Top, Combat, Navy Aprroved, Khaki, Size Large Regular
76DF27129CSXLR	Top, Combat, Navy Aprroved, Khaki, Size X-Large Regular

## DIFFUSERS, DOORS, GRATING



### VENT DIFFUSERS



Ask about our CUSTOM filtered mess deck diffusers!!




Available in Round, Square, & Rectangular in various sizes!!



Contact your Rayco Representative TODAY for more information!!

#### WATER TIGHT DOOR, JOINER DOOR & HINGE KITS

All doors, handles, and locks are special order items. Contact your Rayco Representative for more information





PART NUMBER	DESCRIPTION		
59JESIDD161	Steel QAWT Dog Bearing Kit		
59JESIDD171	Steel IDWT Dog Bearing Kit		
59JEADD161	Aluminum QAWT Dog Bearing Kit		
59JEADD171	Aluminum IDWT Dog Bearing Kit		
59JE538MKAT	Complete Upgrade Kit for Low Hinge ATD (3 kits required per door)		
59JE538MKWT	Complete Upgrade Kit for Low Hinge WTD (2 kits required per door)		
RB3717183	Water Tight Door Gasket		
59JE262SCA	Spring Clip for Individually Dogged WTD Series DI-261		
59JE269SCKS	Spring Clip for Individuall Dogged QAWTD Series DI-268		

#### LADDER TREADS

Note: Items are non returnable

Height: 1-3/4" Nominal

Width: 4",6",9"

Specify Length

Material 6061-T6 Aluminum



#### TOGGLE PINS

Note: Items are non returnable

Toggle Pins are available for custom order. Please specify the following:

- Diameter

-Grip Range

( O dimension from drawing below)

-Material



Stainless Steel 303 or 316


Bronze

Galvanized/Plain Steel

Monel

#### DECK GRATING

Punched, unpunched non-slip grating and grating panels are used for walking surfaces and storage rooms. These Panels are available in Light Series and Heavy Duty in thicknesses of 3/4 inches to 3 inches Interlock styles are available in 1 inch. thickness.



## SHIPBOARD BATTLE LANTERNS











PART NUMBER	DESCRIPTION		
RB1412901	Portable Battle Lantern		
4820B	Battle Lantern Bulb, Box of 12		
48BLLEDUK4W	White LED Upgrade Kit		
48BLLEDUK2R	Red LED Upgrade Kit		
48BLKPR	Rechargeable Battle Lantern		
48BLKITSWLED	Combined Conversion Kit - White (Non-Rechargeable to Rechargeable)		
48BLKITSRLED	Combined Conversion Kit - Red (Non-Rechargeable to Rechargeable)		
48BLB65S	Rechargeable battery		

A lantern with the LED Upgrade creates a brilliant white light as opposed to the yellow hue of the standard incandescent bulb.



LED Upgrade

Standard Incandescent

"After successful Fleet field tests NAVSEA approved and accepted, the LED Rechargeable Battle Lantern is an efficient and viable option for emergency/damage control lighting in the Fleet"



## SHIPBOARD ITEMS

### DECK DRAINS



Type A, 1 1/2" and 2" Deck Drains. Other sizes and types are available. Deck Drain Repair Kits are recommended when it is not necessary to replace entire deck drain body.

### SOUNDING TAPES





### WRENCHES







PART NUMBER	DESCRIPTION
48DC2536	1-1/2" Bronze Type A Deck Drain
48DC2537	2" Bronze Type A Deck Drain
48DC2538	1-1/2" Type A Deck Drain Repair Kit
48DC2539	2" Type A Deck Drain Repair Kit
48DC2536S	Deck Drain Cover, 1-1/2" Type A
48DC2546	Deck Drain Cover, 2" Type A
48DC2547	Deck Drain Cover, 3" Type A
48DC2545	Deck Drain Screws (Monel), Box of 50

PART NUMBER	DESCRIPTION		
48DC2556	25 Ft Sounding Tape		
48DC2517	50 Ft Sounding Tape		
48DC2518	75 Ft Sounding Tape		
48DC2572	100 Ft Sounding Tape		
48DC2517M	15m Sounding Tape (Metric)		
48DC2519	20 Oz Plumb Bob		
48DC2516	Water Indicating Paste		

PART NUMBER	DESCRIPTION		
48DC2535	Deck Drain T-Wrench		
48DC2520	Dogging Wrench		
488A	Wrench, Hatch 1-5/16" Single End Engineering		
400A	Box of 6 each		
486A	Wrench, Hatch 15/16" Single End Engineering		
400A	Box of 6 each		
4866234B	3/4" Brass Air Test Cap Rocker Lug		
48662112B	1-1/2" Brass Air Test Cap Rocker Lug		

## HAND WHEELS

	1	1	1	1	1
ALUMINUM	BRONZE	STEEL	DIA	SQ	REF
52VCW1030	52VCW2030	52VC3030	3	0.28	0.44
52VCW1031	52VCW2031	52VC3031	3	0.31	0.44
52VCW1040	52VCW2040	52VCW3040	4	0.31	0.5
52VCW1041	52VCW2041	52VCW3041	4	0.38	0.5
52VCW1050	52VCW2050	52VCW3050	5	0.38	0.62
52VCW1051	52VCW2051	N/A	5	0.5	0.62
52VCW1052	52VCW2052	N/A	5	0.75	0.62
52VCW1060	52VCW2060	52VCW3060	6	0.44	0.69
52VCW1061	52VCW2061	52VCW3061	6	0.5	0.69
52VCW1062	52VCW2062	52VCW3062	6	0.56	0.69
52VCW1063	52VCW2063	52VC3063	6	0.62	0.69
52VCW1064	52VCW2064	52VCW3064	6	0.75	0.69
52VCW1070	52VCW2070	52VCW3070	7	0.56	0.75
52VCW1071	52VCW2071	52VCW3071	7	0.62	0.75
52VCW1072	52VCW2072	N/A	7	0.75	0.75
52VCW1080	52VCW2080	52VCW3080	8	0.56	0.88
52VCW1081	52VCW2081	52VCW3081	8	0.62	0.88
52VCW1082	52VCW2082	52VCW3082	8	0.75	0.88
52VCW1090	52VCW2090	52VCW3090	9	0.56	0.94
52VCW1091	52VCW2091	52VCW3091	9	0.62	0.94
52VCW1092	52VCW2092	N/A	9	0.68	0.94
52VCW1093	52VCW2093	52VCW3093	9	0.75	0.94
52VCW1094	52VCW2094	52VCW3094	9	0.87	0.94
52VCW1100	52VCW2100	N/A	10	0.56	1
52VCW1101	52VCW2101	N/A	10	0.62	1
52VCW1102	52VCW2102	N/A	10	0.68	1
52VCW1103	52VCW2103	52VCW3103	10	0.75	1
52VCW1104	52VCW2104	N/A	10	0.87	1
52VCW111	52VCW2111	52VCW3111	11	0.69	1.06
52VCW1120	52VCW2120	N/A	12	0.56	1.12
52VCW1121	52VCW2121	N/A	12	0.62	1.12
52VCW1122	52VCW2122	52VCW3122	12	0.75	1.12
52VCW1123	52VCW2123	N/A	12	1	1.12
52VCW1140	52VCW2140	52VCW3140	14	0.75	1.31
52VCW1141	52VCW2141	N/A	14	0.88	1.31



ALUMINUM	BRONZE	STEEL	DIA	SQ	REF
52VCW1142	52VCW2142	N/A	14	1.12	1.31
52VCW1143	52VCW2143	N/A	14	1.17	1.31
52VCW1160	52VCW2160	N/A	16	1.17	1.44
52VCW1161	52VCW2161	N/A	16	1.38	1.44
52VCW1180	52VCW2180	N/A	18	1.00	1.62
52VCW1181	52VCW2181	N/A	18	1	1.62
52VCW1182	52VCW2182	N/A	18	1.75	1.62
52VCW1210	52VCW2210	N/A	21	1.19	1.88
52VCW1211	52VCW2211	N/A	21	1.38	1.88
52VCW1240	52VCW2240	52VCW3240	24	1.38	2.06
52VCW1241	52VCW2241	N/A	24	1.50	2.06
52VCW1270	52VCW2270	52VCW3270	27	1.19	2.25
52VCW1271	52VCW2271	52VCW3271	27	1.38	2.25
52VCW1300	52VCW2300	N/A	30	1.44	2.5
52VCW1301	52VCW2301	N/A	30	1.95	2.5
52VCW1360	52VCW2360	N/A	.36	1.38	3
52VCW1080	52VCW2080	52VCW3080	8	0.56	0.88



#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!

## SHIPBOARD SIGNAGE

PART NUMBER	DESCRIPTION		
453MN601PL	FM Pipe Markings		
453MN602PL	AFFF Pipe Markings		
453MN603PL	CW Pipe Markings		
453MN604PL	JP-5 Pipe Markings		
453MN605PL	Arrow Pipe Markings		
453MN113PL	Exit Sign, 8" x 12"		
453MN114PL	No Exit Sign, 9" x 10"		
453MN115PL	Exit Arrow, 8" x 24", Left		
453MN101PL	OBA, 4" x 10", Vertical		
453MN102PL	OBA, 8" x 4", Horizontal		
453MN103PL	OBA, Canister		
453MN104PL	SCBA, 4" x 13", Vertical		
453MN105PL	SCBA, 8" x 4", Horizontal		
453MN106PL	Cylinders, 14" x 4", Horizontal		





**EXIT** 
















PART NUMBER	DESCRIPTION		
453MN131PL	1" x 50 yds Photolum Tape		
453MN132PL	2" x 50 yds Photolum Tape		
453MN056DG	Escape Trunk Marker		







DESCRIPTION	2"x 2"	3" x 3"	4" x 4"
X-Ray	453MN003DG	453MN002DG	453MN001DG
Yoke	453MN006DG	453MN005DG	453MN004DG
Zebra	453MN009DG	453MN008DG	453MN007DG
William	453MN012DG	453MN011DG	453MN010DG
Circle X-Ray	453MN015DG	453MN014DG	453MN013DG
Circle Yoke	453MN018DG	453MN017DG	453MN016DG
Circle Zebra	453MN021DG	453MN020DG	453MN019DG
Circle William	453MN024DG	453MN023DG	453MN022DG
Darken Ship Zebra	453MN027DG	453MN026DG	453MN025DG
Normally Open	453MN030DG	453MN029DG	453MN028DG
Normally Shut	453MN033DG	453MN032DG	453MN031DG



PART NUMBER	DESCRIPTION
48EEBDAL	EEBD Holder (Berthing)
48EEBDH	EEBD, Stowage (Bulkhead Mount)
483EEBD	Bulkhead Mount Steel 3 Unit EEBD Holder
48EEBDPP	Safety Pin and Lanyard

PART NUMBER	DESCRIPTION
453MN107PL	EEBD, 1" x 3", Vertical
453MN108PL	EEBD, 2" x 6", Vertical
453MN109PL	EEBD, 3" x 1", Horizontal
453MN110PL	EEBD, 4" x 1-1/2", Horizontal
453MN111PL	EEBD, 8" x 4", Horizontal

## SHIPBOARD FIRE HOSES





#### DELTA HYDRO CDHT1500 INCLUDES:

- All STAINLESS 1 1/2" (38 mm) manifold
- All STAINLESS heavy duty low profile (4 wheels) steel cart
- Powerful 1.7 HP INDUSTRIAL TEFC (total enclosed fan cool) Motor
- Electrical connection: 110/120 V
- FULLY AUTOMATIC 1 1/2" (38 mm) aluminum check valve system on all 4 outlets (reduces labor and increases SAFETY). NST thread standard – NPSH thread available upon request
- Check valve assemblies also available in brass
- Large 3.2 GPM (12,6 L) OIL BATH pump, complete with thermal protective valve.
- Delivers up to 500 PSI (3447 kPa) pressure
- 1 1/2" (38 mm) NST female swivel inlet connector
- In-line filter included on all models
- Complies with NFPA standards

PART NUMBER	DESCRIPTION
48NC9299706	P-100 Pump
48CDHT1500SS	Delta Fire Hose Tester





DESCRIPTION
Fire Hose, 1-1/2" x 25' NPSH Fitting
Fire Hose, 1-1/2" x 50' NPSH Fitting
Fire Hose, 1-3/4" x 50' NPSH Fitting
Fire Hose, 2-1/2" x 50' NST Fitting
Fire Hose, 4" x 50' NPSH Fitting
Potable Water Hose, 1-1/2" x 50' NPSH Fitting
Potable Water Hose, 2-1/2" x 50' NPSH Fitting
Fire Station Straps, 1"
Clips, ALL SS Hardware for Fire Station Straps
1-1/2" Vari Nozzle, 125 GPM
1-1/2" Vari Nozzle, 95 GPM
2-1/2" Vari Nozzle, 250 GPM
Wye Gate, Navy Brass
Aluminum Combo Spanner Wrench
Spanner Wrench Holder
1-1/4" - 3" Adjustable Hook Spanner Wrench

# FIRE HOSE VALVES



Straight & Angled Hose Globe Valves IAW Navy DWG 1385711/12



Overboard Discharge Assembly

PART NUMBER	DESCRIPTION
48DC2511	1-1/2" Swivel and Tail Gasket for Brass Adapters
48DC2540	2-1/2" Swivel and Tail Gasket for Brass Adapters
48DC2521	1-1/2" FM NPSH x 1-1/2" Male NPT Swivel Brass Adapter Rocker Lug
48DC2522	2-1/2" FM NST x 2-1/2" Male NPT Swivel Brass Adapter Rocker Lug
48DC2523	1-1/2" FM NPSH x 1-1/2" FM NPT Swivel Brass Adapter Rocker Lug
48DC2524	2-1/2" FM NST x 2-1/2" FM NPT Brass Adapter Rocker Lug
4DC25225	1-1/2" NPSH Double Male Brass Adapter Rocker Lug
4DC25226	2-1/2" NST Double Male Brass Adapter Rocker Lug

PART NUMBER	DESCRIPTION
5194741973	Couple Double Hose Male Brass 4" MNAVY x 2-1/2" MNST Overboard Discharge Assembly
487DISCHARGE	Mating Fitting for 5194741973
5194741973MOD	Overboard Discharge Assembly 4" reduce to 2-1/2" Plug Modified to have 4" FNPSH
48OBDFF	Overboard Discharge Assembly Flanged, 4" - 2 - 1/2" with Cap (Please specify bolt hole pattern when ordering)
521474300	Hose Glove Valve, 1-1/2"
521474450	Hose Globe Valve, 2-1/2"
521484300	Angle Hose Globe Valve, 1-1/2"
521484450	Angle Hose Globe Valve, 2-1/2"



PART NUMBER	DESCRIPTION
48DC2527	1-1/2" NPSH Double Female Brass Adapter Rocker Lug
48DC2528	2-1/2" NST Double Female Brass Adapter Rocker Lug
48DC2529	1-1/2" NPSH Brass Hose Plug and Chain Rocker Lug
48DC2530	2-1/2" NST Brass Hose Plug and Chain Rocker Lug
48DC2531	1-1/2" NPSH Brass Hose Cap And Chain Rocker Lug
48DC2532	2-1/2" NST Brass Hose Cap and Chain Rocker Lug
48DC2533	1-1/2" Male S/B x 1-1/2" FM NPSH Swivel Adapter Brass Rocker Lug
48DC2534	2-1/2" Male S/B x 2-1/2" FM NPSH
	Swivel Adapter Brass Rocker Lug

# FIRE EXTINGUISHERS

PART NUMBER	DESCRIPTION
48431999	Extinguisher, CO2, 15# MILSPEC
4815832	Extinguisher, PKP, 18# MILSPEC
4815665	Mount Bracket for 4815832
4825425	Extinguisher, PKP, 27# MILSPEC
4825428	Mount Bracket for 4825425
48252	Extinguisher, AFFF 2-1/2 Gallon
486708T42	Extinguisher, Fresh Water
48429293	Horn and Hose Assembly, 3'
48432011	Belly Band End, Metal
48429516	Belly Band Clip, Plastic
RB44610105	Tamper Seals, Box of 100
453MN050DG	PKP Label
453MN051DG	CO2 Label
453MN052DG	AFF Label






























## AFFF FOAM & SPRINKLERS

#### ANSULITE PREMIUM 6% AFFF CONCENTRATE MILSPEC (AFC-5)



For use on Class B hydrocarbon fuel fires such as crude oils, gasoline, diesel fuels and aviation fuels. Aspirated or nonaspirated discharge devices. 6% solution in fresh, salt or hard water. 6% premix in fresh or potable water. UL Listed. On QPL under U.S. Military Specification MIL-F-24385F

PART NUMBER	DESCRIPTION
4868120	AFFF 6% 5 Gallon Pail
4868121	AFFF 6% 55 Gallon Drum
48432159	AFFF 6% 265 Gallon Tote

#### ANSULITE PREMIUM 3% AFFF CONCENTRATE MILSPEC (AFC-5-A)



For use on Class B hydrocarbon fuel fires such as crude oils, gasoline, diesel fuels And aviation fuels. Aspirated or nonaspirated discharge devices. 3% solution in fresh, salt or hard water. 3% premix in fresh or potable water. UL Listed. On QPL under U.S. Military Specification MIL-F-24385F.

PART NUMBER	DESCRIPTION
4868122	AFFF 3% 5 Gallon Pail
4868123	AFFF 3% 55 Gallon Drum
48431499	AFFF 3% 265 Gallon Tote


#### SPRINKLER HEADS

PART NUMBER	DESCRIPTION
48495541328	Sprinkler Head Type G
48492101001	Sprinkler Head Type B, Upright
48492111001	Sprinkler Head Type B, Pendent









## AFFF CARTS & WHEELS

#### 36 GALLON MOBILE FOAM CART



The ANSUL Mobile firefighting foam-attack cart is a self-contained fast-response cart ideal for small fires and chemical spills. It comes with a 36-gallon foam concentrate tank, a choice of three (3) different types of nozzles at flows of 60 or 120 GPM (227 or 454 Lpm), a matching eductor, and two (2) 50 ft lengths of 1-3/4 in. double-jacketed and lined firehose with NHT fittings. Please specify nozzle and part number when ordering.

PART NUMBER	DESCRIPTION
48429952	Cart with 60 GPM Low Expansion KR-S2 Foam Nozzle
48429953	Cart with 60 GPM Medium Expansion KR-M2 Foam Nozzle
48429955	Cart with 12- GPM Low Expansion KR-S4 Foam Nozzle

#### 265 GALLON MASTER FOAM TOTE TRAILER



Trailer assembly constructed of structural steel channel with axle(s), wheels and tires designed to carry trailer's gross weight with equipment including 265 gal capacity foam tote tank made of high density polyethylene and protected by a rigid welded galvanized tubular steel grid. Also includes a Protector Station Monitor with built-in on/off valve and ANSUL MasterFoam nozzle.

PART NUMBER	DESCRIPTION
48248560	AFFF Tote Trailer
48471019	AFFF Dual Tote Trailer



PART NUMBER	DESCRIPTION
4824414DV50	Reel Hose AFFF Type V 1-1/2" x 50' Hose with Couplings
4824414DV75	Reel hose AFFF Type V 1-1/2" x 75' Hose with Couplings
4824414DV125	Reel Hose AFFF Type V 1-1/2" x 125' Hose with Couplings

## DAMAGE CONTROL TOOL KIT

#### MATCHES NSN NUMBERS



PART NUMBER: 48DCPOKIT



BEST SELLER



CUSTOM DESIGNED



QUALITY TOOLS



ONE LOW PRICE



ONLY AVAILBLE THROUGH RAYCO SUPPLY, INC.

#### DCPO KIT INCLUDES THE FOLLOWING:

Inspection Mirror	Stencil Kit	Cotter Pin Assortment
Oiler	Vice-Grips	Mechanical Finger
6" Slipjoint Pliers	11pc Combination Wrench Set	Work Gloves
8" Slipjoint Pliers	23 Piece Socket Set	Rubber Gloves
Earmuffs	Flashlight	Safety Goggles
10lb Bag of Rags	20" Tool Box	24oz Ball Pein Hammer
8pc Drive Pin Punch Set	6" Adjustable Wrench	File Set
Machinist Rule	8" Adjustable Wrench	11pc Hex Key Set
Scraper	10" Adjustable Wrench	20pc Hex Key Set
8pc Screwdriver Set	12" Adjustable Wrench	1 ¼" Putty Knife
Scriber	Paint Brush	Grease Gun
Adjustable Spanner Wrench	Wire Brush	Chalk Assortment

# DAMAGE CONTROL KITS

PART NUMBER	DESCRIPTION
48SGFDK1	Flag Kit, Firefighting
48SGMSDK1	Flag Kit, Main Space
48SGDCK1	Flag Kit, Damage Control
48SGSCBA1	Damage Control SCBA Cover
48CLF4250PTN	Battle Fogger
48CLF4210PTN	1 Gallon Liquid Smoke
48CLF4211PTN	5 Gallon Liquid Smoke
48SGDCCD1	Sounds of Damage CD











\* Individual Flags Also Available





- Low Profile
- Weight 4.1 Pounds
- Longest Battery Time 4.85 Hrs
- No-Memory Rechargeable
   Batteries
- Also Runs on AA Batteries
- Widest Field of View
- Waterproof IP67

- Wireless Transmission
- Flame Resistant UL94V0
- Interfaces with SCBA
- Video Overlay
- Direct Temperature Measurement
- Variable Sensitivity
- Upgradeable and Retrofittable
- 2X Digital Zoom Capacity

PART NUMBER	DESCRIPTION
48K90SS200	Thermal Imager
4850001	NIMH Rechargeable Battery for K90 Talisman Thermal Imager
48500218	K90 Talisman Charger/Power Supply Assembly
48K90MAD006P	Battery pack w/ Shim (Non-Rechargeable AA Battery Adapter)



## CRASH & RESCUE KIT





All purpose set of tools for use in crash and fire emergencies. Contains everything needed to quickly and efficiently cut through metal, webbing, wood, rope, and other obstructions. Ship wt. 15 lbs.

- Tools are held firmly in place, yet each tool is easily accessible
- Weather-resistant, hi-vis yellow carrying case is made from mildew-resistant, rubber coated nylon
- Aircraft Cable Cutter cut 1/8" to 1/4" capacity, will cut cable without deforming ends
- Hack Saw Frame adjusts from 10" to 12" and adjusts 90° for vertical or horizontal cuts
- Hand Axe has handle insulated for 20,000V

### CRASH KIT

PART NUMBER	DESCRIPTION
48L471	Crash and Roll Tool Kit
48J728	Serrated Hatchet
48L47103	Replacement Tool Bag
4419820157	Seat Belt Cutter

#### CNASII N

- Metal Cutting Saw, 16" Blade

INCLUDES:

- Aircraft Cable Cutter, 14 Ft Long
  Cuts 1/8" to 1/4" capacity
- Lineman's Pliers, 8" OAL
- Hack Saw Frame, 8" 12" Adjustable
- Hack Saw Blades, Set of 3
- Grappling Hook & Rope, 52" Sling
- Phillips Head Screwdrivers, 6" & 8"

- Slotted Head Screwdrivers, 6" & 8"
- Wooden Plugs, Set of 3
- Vise Grip Wrench, 10" OAL
- Serrated Edge Hand Axe, 15" OAL
- Safety V Blade Rescue Knife

### C & R Tools

Set of Blades

Power Hawk Kit

PART NUMBER	DESCRIPTION
48AP8	Crash Axe
64SAB360B	36" Pry Bar
64PPB60	60" Pry Bar
64039OMNE	36" Bolt Cutters
641490MTN	14" Cable Cutters
48R631	30" Std Claw Hooligan Entry Tool

### POWER HAWK KIT

#### INCLUDES:

- P-16 Rescue Tool
- Attachment Pins
- Power Cable
- Controller Unit
- 12VDC Power Pack

- Jumper Cables
- Battery Charger
- Spreader Arms
- Curved Blade Cutter
- Straight Blade Cutter



48T790

48DC1

## WSOA & RDD



The W.S.O.A (Water/Smoke Overboard Apparatus) is the new Navy's .

De-Smoke/De-Water apparatus that makes use of the DC Deck

Overboard for de-smoking and de-watering at the scene rather than .

having to run ducting to the weather deck. This makes it possible to maintain shipboard integrity during a casualty. The WSOA can also be used to achieve negative space pressure. The WSOA has been used in three actual shipboard casualties and proved to be an invaluable asset.

PART NUMBER	DESCRIPTION
48WSOA	Water/Smoke Overboard Apparatus

- To increase the ships ability to respond quickly and efficiently in the area of toxic atmosphere or de-smoking evolutions to rid the atmosphere of harmful contaminates without hampering the mission of the ship or daily routine.
- Utilize repair team personnel more effectively in the face of minimum manned ships and equipment.
  - Reduce the use of 1-1/2" hoses used to discharge fire main water from the Ram Fan over the side.
- Keep a harmful atmosphere contained in one area vice breaking set boundaries by opening hatches and scuttles possibly introducing contaminates to a space with personnel that are unprotected.
- Maximize the use of repair locker equipment the way it was designed for the removal of contaminated atmospheres.
- Eliminate the clean up of the residual fire main from fire hoses throughout various compartments.









PART NUMBER	DESCRIPTION
48DW5010PTN	RDD (Rapid Deployment Ducting) Hose Assy Kit, Air Duct 10" x 50', and 48" Storage Bag
48DW3010PTN	RDD (Rapid Deployment Ducting) Hose Assy Kit, Alr Duct 10" x 30', and 36" Storage Bag
48EF20PTN	Adapter, 10" RDD (Rapid Deployment Ducting) End, Female
48EM20PTN	Adapter, 10" RDD (Rapid Deployment Ducting) End, Male
48BA20PTN	Adapter, Navy Ram Fan Blower Adapter; RDD Adapter Flange 10" (Fits Old and New Style 10" Duct)
48LP20PTN	RDD (Rapid Deployment Ducting ) Latch Kit, (includes 2 ea. Latches & 2 ea. Retaining Pins)
48SN20PTN	RDD (Rapid Deployment Ducting) End Ring Mounting Screws and Nuts (includes 8 ea. 1/4" - 20 S.S Nylock Nut)
48R5020PTN	10" x 50' RDD (Rapid Deployment Ducting) with Storage Bag, storage size is 48" (EF20: Female End and EM20: Male End Sold Seperately)
48R3020PTN	10" x 30' RDD (Rapid Deployment Ducting) with Storage Bag, storage size is 36" (EF20: Female End and EM20: Male End Sold Seperately)

## SPERIAN PHD6

PART NUMBER	DESCRIPTION
48PHD6KIT	PHD6 Gas Detection 4 Gas Unit - Includes Case (Cal Gas sold seperately), Alakaline Battery, Sample Draw Kit, 10' Tubing, Sample Probe, and Replacement Filters and Case
485454106	Alkaline Battery Pack for PHD-6
485454107	Rechargeable Li-Ion battery Pack for PHD-6
485454107	Li-lon Battery Charger for PHD-6
485405K0502	Cal Gas Operational Calibration Safety Check Kit - PHD Ultra Calibrator Adaptor, PHD-6 Calibration Cover, Regulator, 1.0 LPM, #70, PHD Ultra/PHD6 CalibrationKit Case, Calibration Kit Label, Fuel Resistant Tubing (per foot), 58-Liter Gas Cyliner, CO 50PPM/ H2S, 25 PPM, and a Weather Proof Carton *Direct Purcahse Only
485454102	Continuous Sample Draw Pump for PHD-6

Biosystems PHD6™ Multi-Gas Detectors

LEL, O2, CO, H2S

#### PHD6 SENSORS

PART NUMBER	DESCRIPTION
48549044E	Cal Gas - 58 Liter (For Direct Purchase Only)
48545401	CO, Carbon Monoxide
48545402	H2S, Hydrogen Sulfide
48545480	LEL Combustible
48545490	O2, Oxygen
48545414	Duo-Tox CO/H2S





## GAS DETECTION

# Dräger







PART NUMBER	DESCRIPTION
484056443	Hard Sided Accuro Pump Kit
48CH22901	Acetone 100-12000 PPM
48CH20501	Ammonia
488181741	Benzene 15-420 PPM
48CH23501	Carbon Dioxide 0.1%/A
486728511	Carbon Monoxide 5/A-P
48CH20601	Carbon Monoxide 10/B
486728521	Carbon Dioxide 100/A-P
48CH24301	Chlorine 0.2-30 PPM
486728241	Ethylene Oxide 25/A
48CH25701	Hydrocycanic Acid 2/A
48CH30301	Hydrogen Flouride 1.5/B
488101831	Hydrogen Sulfide 1/D
48CH25401	Hydrocarbon 2
48CH29501	Hydrochloric Acid 1/A
48CH30001	Nitrogen Dioxide 0.5/C
488103111	Oil 10 PN 5 MG/M3
486733181	Ozone 0.05-1.4 PPM
488101521	Phosgene 0.02/A
48CH31701	Sulfur Dioxide 1-25 PPM
488101661	Toluene 5-300 PPm
48CH21101	Trichloroethane 50-600 PPM
488101721	Vinyl Chloride 0.5/B
488103061	Water Vapor 20/A-P 20-500

In addition to the most popular drager tubes listed above, all other tubes are available through Rayco Supply, Inc.

# Industria



WELDING Fittings Metals
Engraving Abrasives
Marine Doors and Parts Gaskets
Plumbing Lagging
Hand Tools
Crafing Habitability



## CRAFTSMAN TOOLS

## Everyday Use





















PART NUMBER	DESCRIPTION	
937392UR	Tape Measure, 1" x 26'	
937393UR	Tape Measure, 1" x 30'	
934740	32 Pc Socket Set	
934083UR	83 Pc Mechanics Set	
935155UR	155 Pc Mechanics Set	
946572UR	215 Pc Mechanics Set	
942404UR	8 Pc Metric Ratcheting Set	
942405UR	8 Pc Standard Racheting Set	

PART NUMBER	DESCRIPTION	
947116UR	6 Pc Cushion Set	
947202UR	8 Pc Pro Electrical Set	
94171UR	24 Pc Micro Set	
944713UR	Wrench, 6" Break Jaw	
944714UR	Wrench, 8" Break Jaw	
944715UR	Wrench, 10" Break Jaw	
947046UR	12 Pc Combo Wrench Set	





#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!



#### MOST POPULAR ITEMS





PART NUMBER	DESCRIPTION	
82029	Pliers, 8" Linesman, Insulated	
82030	Pliers, 8" Long Nose	
82011	Pliers, 9-1/2" Tongue & Groove	
82014	Pliers, 8" Slip Joint	
82005	Pliers, Straight Needle Nose	
82103	Plier Set, 4 Pc - 9-1/2" Tongue & Groove - 7" Diagonal Cutting - 8" Long Nose - 8" Slip Joint	
82100	Plier Set, Mini 5 Pc - 4" Diagonal Cutting - 4" Long Nose - 5" Needle Nose - 4" End Cutting Nipper - 4" Flat Nose	
82730	Screwdriver Set, 19 Pc Combo	
85057	Screwdriver Set, 12 Pc Mini	
80050	Screwdriver Set, 6 Pc Combo	
80051	Screwdriver Set, 12 Pc Combo	



#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!



PART NUMBER	DESCRIPTION
82401	Hex Key Set, SAE 5 Pc, Chrome Finish
8906	Ratcheting Screwdriver 6 Pc. T-Handle Socket Driver Set
8908	Ratcheting Screwdriver 8 Pc. SAE Geared Nut Driver Set
8909	Ratcheting Screwdriver 9 Pc. Metric Geared Nut Driver Set
8915	Ratcheting Screwdriver 15 Pc. Stubby Set
8916	Nut Driver, 16 Pc Std/Metric
8926	Ratcheting Screwdriver Set, 26 Pc
8939	39 Pc. Ratcheting Screwdriver Set
8940	40 Pc. Ratcheting Screwdriver Set
85299	Ratcheting Wrench Set, 5 Pc. Reversible "S-shaped" Double Box, Metric
85388	Ratcheting Wrench Set, 12 Pc Reversible X-Beam Combination, Metric
85398	Ratcheting Wrench Set, 9 Pc Reversible X-Beam Combination SAE
85399	Ratcheting Wrench Set, 4 Pc. Reversible "S-shaped" Double Box, SAE













PART NUMBER	DESCRIPTION	
85051	Torque Wrench, 3/8" 25-250 in lb	
85053 Torque Wrench, 1/2" 20-15		
81230	Ratchet Set, 4 Pc Flex Handle Multi Drive - 81012 Full Polish Flex Teardrop Ratchet, 1/4" Drive - 81215 Full Polish Flex Teardrop Ratchet, 3/8" Drive - 81212 Full Polish Stubby Flex Teardrop Ratchet, 3/8" Drive - 81306 Full Polish Flex Teardrop Ratchet, 1/2" Drive	



PART NUMBER	DESCRIPTION	
3885	40 Pc. Medium Ratcheting Tap & Die Drive Tool Set, SAE	
INCLUDES -		
3881	Medium Tape & Die Ratcheting "T" Wrench	
3882	Small Tap Adapter	
3883	Medium Tap Adapter	
3884	Medium Hex Die Adapter	
	Sliding "T" for Adapters	
	Thread Gauge	
	#5 Screwdriver	



PART NUMBER	DESCRIPTION	
3886	40 Pc. Medium Ratcheting Tap & Die Drive Tool Set, Metric	
INCLUDES -		
3881	Medium Tape & Die Ratcheting "T" Wrench	
3882	Small Tap Adapter	
3883	Medium Tap Adapter	
3884	Medium Hex Die Adapter	
	Sliding "T" for Adapters	
	Thread Gauge	
	#5 Screwdriver	

#### INCLUDES

TAPS	<u>HEX DIES</u>
1/4 - 20 NC Taper	1/4 - 20 NC
1/4 - 28 NF Taper	1/4 - 28 NF
5/16 - 18 NC Taper	5/16 - 18 NC
5/16 - 24 NF Taper	5/16 24 NF
3/8 - 16 NC Plug	3/8 - 16 NC
3/8 24 NF Plug	3/8 - 24 NF
7/16 - 14 NC Plug	7/16 - 14 NC
7/16 - 20 NF Plug	7/16 - 20 NF
1/2 - 13 NC Plug	1/2 - 13 NC
1/2 - 20 NF Plug	1/2 - 20 NF
4 - 40 Taper	4 - 40 Taper
6 - 32 Taper	6 - 32 Taper
8 - 32 Taper	8 - 32 Taper
10 - 24 Taper	10 - 24 Taper
10 - 32 Taper	10 - 32 Taper
12 - 24 Taper	12 - 24 Taper
1/8 - 27 NPT	1/8 - 27 NPT

#### INCLUDES

<u>Taps</u>	<u>HEX DIES</u>
3 x .50 Taper	3 x .60
3 x .60 Taper	4 x .70
4 x .70 Taper	4 x .75
4 x .75 Taper	5 x .80
5 x .80 Taper	5 x .90
5 x .90 Taper	6 x 1.00
6 x 1.00 Taper	7 x 1.00
7 x 1.00 Taper	8 x 1.25
8 x 1.25 Plug	9 x 1.00
9 x 1.00 Plug	9 x 1.25
9 x 1.25 Plug	10 x 1.25
10 x 1.25 Plug	10 x 1.50
10 x 1.50 Plug	11 x 1.50
11 x 1.50 Plug	12 x 1.50
12 x 1.50 Plug	12 x 1.75
12 x 1.75 Plug	1/8 - 28BSP

PART NUMBER	DESCRIPTION	
3887	75 Pc. Medium Ratcheting Tap & Die Drive Tool Set, SAE/Metric	
INCLUDES -		
3881	Medium Tape & Die Ratcheting "T" Wrench	
3882	Small Tap Adapter	
3883	Medium Tap Adapter	
3884	Medium Hex Die Adapter	
	Sliding "T" for Adapters	
	SAE Screw Pitch Gauge	
	Metric Screw Pitch Gauge	
	#5 Screwdriver	




PART NUMBER	DESCRIPTION	
3880	5 Pc. Medium Ratcheting Tape and Die Drive Tool Set	
INCLUDES -		
3881	Medium Ratcheting "T' Wrench	
3882	Small Tap Adapter	
3883	Medium Tap Adapter	
3884	Medium Hex Die Adapter	
	Sliding "T" for Adapters	

#### INCLUDES

TAPS	<u>H E X</u>	DIES
2 Each: 1/4 - 20 NC Taper	1/4 - 20 NC	3 x .50 Taper
2 Each: 1/4 - 28 NF Taper	1/4 - 28 NF	3 x .60 Taper
2 Each: 5/16 - 18 NC Taper	5/16 - 18 NC	4 x .70 Taper
2 Each: 5/16 24 NF Taper	5/16 24 NF	4 x .75 Taper
2 Each: 3/8 - 16 NC Plug	3/8 - 16 NC	5 x .80 Taper
2 Each: 3/8 - 24 NF Plug	3/8 - 24 NF	5 x .90 Taper
2 Each: 7/16 - 14 NC Plug	7/16 - 14 NC	6 x 1.00 Taper
2 Each: 7/16 - 20 NF Plug	7/16 - 20 NF	7 x 1.00 Taper
2 Each: 1/2 - 13 NC Plug	1/2 - 13 NC	8 x 1.25 Plug
2 Each: 1/2 - 20 NF Plug	1/2 - 20 NF	9 x 1.00 Plug
2 Each: 4 - 40 Taper	4 - 40 Taper	9 x 1.25 Plug
2 Each: 6 - 32 Taper	6 - 32 Taper	10 x 1.25 Plug
2 Each: 8 - 32 Taper	8 - 32 Taper	10 x 1.50 Plug
2 Each: 10 - 24 Taper	10 - 24 Taper	11 x 1.50 Plug
2 Each: 10 - 32 Taper	10 - 32 Taper	12 x 1.50 Plug
2 Each: 12 - 24 Taper	12 - 24 Taper	12 x 1.75 Plug
2 Each: 1/8 - 27 NPT	1/8 - 27 NPT	1/8 - 28BSP



## GENERAL TOOLS



PART NUMBER	DESCRIPTION
64SPC600	Jewler's Screwdrivers, 0.100", 0.080", 0.070", 0.055", 0.040", 0.025"
64380B	9" Two Point Scriber



9			
PART NUMBER	DESCRIPTION		
6463518	18 Pc. Precision Ultratech Screwdriver Set with Case; Includes 1 Multi-Blade Handle, 17 Interchangeable Blades, & Awl/Scribe		



PART NUMBER	DESCRIPTION
6470399	Mechanical Pick Up, Push LED Light, Flexible Shaft, Spring Steel Retrieval Claw, 36" OAL
6470396	Mechanical Pick Up, Push LED Light, Flexible Shaft, Spring Steel Retrieval Claw, 24" OAL
6470393	Mechanical Pick Up, Push LED Light, Flexible Shaft, Spring Steel Retrieval Claw, 12" OAL
64396	Mechanical Pick Up, Flexible Shaft, Chrome Finish, 24" OAL



#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!



PART NUMBER	DESCRIPTION
64SPC74	5 Pc. Round Shank Center Punch Set; Includes 1/16", 5/64", 9/64", 5/32", & Case



Part	Number	DESCRIPTION
64SPC75	)	8 Pc. Drive Pin Punch Set' Includes 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", & Case



PART NUMBER	DESCRIPTION
64SPC76	5 Pc. Extra Long Drive Pin Punch Set; Includes 1/3", 3/16", 1/4", 5/16", 3/8", & Case



# GENERAL TOOLS

#### Other items available..

- **Tubing Cutters**
- Calipers
- Tap Wrenches
- Steel Rules
- Magnifiers
- **Infrared Thermometers**
- Moisture Meters

- Digital Sound Meters
- Digital Manometers
- Digital Hardness Testesr
- Ultrasonic Thickness Gauges
- **Torque Meters**
- Digital Vacuum Meters
- Vibration Meters

- **Tachometers**
- Anemometers
- **Amp Clamp Meters**
- Multimeters
- Voltage Testers
- **Test Leads**
- Refractometers





PART NUMBER	DESCRIPTION
64707475	12 Pc Swiss pattern Needle File Set with Case; Includes Warding (Flat), Square, Cross- ing, Round, Oval, Half Round, Equalling (Mill), Knife, Barrette, Slitting, Joint Round Edge, & Three Square



PART NUMBER	DESCRIPTION
6475622	22 Pc. Precision Knife and Blade Set; Includes 2 Multi-Blade Handles & 20 Hobby Blades

PART NUMBER	DESCRIPTION	
64226T	Precision 26 Taper Leaf Feeler Gage with 3" Leaves, 1/2" - 1/4" Wide; Includes following sizes .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, & .025" (Conforms to government specifications GGG-G-17b)	
64226	Precision 26 Leaf Feeler Gage with 3" Leaves, 1/2" Wide; Includes following sizes .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, & .025" (Conforms to government specifications GGG-G-17b)	
64230	26 Leaf Economy Gage with 3" Leaves; Includes following sizes .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, & .025"	
64231	15 Leaf Economy Gage with 3" Leaves; Includes .002, .003, .005, .006, .007, .008, .010, .011, .012, .013, .014, .015, .020, & .025"	
64232	15 Leaf Economy Gage with 6" Leaves; Includes .002, .003, .005, .006, .007, .008, .010, .011, .012, .013, .014, .015, .020, & .025"	





### BOROSCOPE SYSTEMS



PART NUMBER	DESCRIPTION
46DCS1600	Portable Fixed Video Borescope

- Bright TFT Display
- Revolutionary mobility, no need to transport large multiple components
- Compact, palm-sized unit includes LED light source, TFT (Thin Film Transistor) display, camera and recorder
- Takes still photos and dynamic video in real time
- Internal SD memory allows user to save a whole video and output later
- TV monitor output, Computer USB output
- Data logging function
- Multiple mirrored viewing tips and extra wide view angle



- Multiple video formats compatible with most software including Windows® Media Player
- No special software required
- Rechargeable batteries can record for 4 hours
- Comes with a 3.3 ft (1m) long obedient probe that retains the required shapes
- 0.2" (5.5mm) diameter camera-tipped probe easily fits through the spark plug hole of any engine
- 4 super-strength white LED lights inside the tip
- · Water, oil, dust, and scratch resistant
- Optimized illumination
- · Rapid assembly of lens module
- Illumination intensity easily adjusts to environment



### BOROSCOPE SYSTEMS



PART NUMBER	DESCRIPTION
46DCS1800	Portable Removable Wireless Borescope

The complete kit includes:

- Waterproof blow mold carrying case
- Main monitor
- 3.3 ft (1m) semi-rigid camera probe
- 2GB SD Ram Memory Card
- A/C Adapter Charger
- Video Cables
- LCD cleaning cloth
- Instruction Manual



Operate the instrument anywhere without the cable. An image can be sent to a larger screen up to 798 ft (39m) away.

- Three different application modes (on console, on large screen, and projected) allow wide application
- Completely Portable no need for an external light, power or screen
- 3 Operating Modes includes Hands-Free, One-Handed and Two-Handed modes
- Rapid imaging Record still images or MPEG 4 compatible streaming video at the touch of a button
- High quality metal lens sleeve can withstand high temperatures and provides protection of the lens module.





# CHICAGO PNEUMATIC







PART NUMBER	DESCRIPTION
RP9789	1/2" Drill, Reversible Chuck 800 RPM 9.14 ft lb 24 cfm 1/4" NPTF Air Inlet
RP9889	Shear, Pistol Grip 2,4000 BPM 5.0 cfm 1/4" NPTF Air Inlet



PART NUMBER	DESCRIPTION
RP9888	NIbbler 2,750 BPM 5.5 cfm 1/4" NPTF Air Inlet
RP9840	Riveter 3/32" - 3/16" capacity 2400 max axial pull load @ 85 PSI 1/4" NPTF Air Inlet



PART NUMBER	DESCRIPTION
RP9429	3/8" Drive Ratchet 50 Ft Lb max 16 cfm 1/4" MPTF Air Inlet
RP9430	1/2" Drive Ratchet 50 Ft Lb max 16 cfm 1/4" MPTF Air Inlet





PART NUMBER	DESCRIPTION
RP9524	3/8" Impact Wrench 200 ft lb max 12 cfm 1/4" NPTF Air Inlet
RP9540B	1/2" Impact Wrench, 425 ft lb max 12 cfm 1/4" NPTF Air Inlet



PART NUMBER	DESCRIPTION
RP9538	Needle Scaler with Chisel 4600 bpm 1/4" NPTF Air Inlet





PART	Number	DESCRIPTION
RP9113		1/4" Die Grinder Collet 24,000 RPM 22 cfm 1/4" NPTF Air Inlet
RP9101		P-Grinder 1/4" Collet 22,5000 RPM 23 cfm 1/4" NPTF Air Inlet

# WELDING





PART NUMBER	DESCRIPTION
4770059	Welding Pipe Stinger
47A532	Welding Electrode Holder
472MPC	#2 Weld Cable Connector
47GC300	Welding Junior Ground Clamp
23307116	Professional Soldering Kit



PART NUMBER	DESCRIPTION
471165	Welding Helmet, Pipe Hood
4707440504	Welding Helmet, Shadow
4707520141	EQC Master Variable HTLS

Part Number	DESCRIPTION
6472035	Piping Size Calipers
64002008	Cone and Chisel Handle
64003400	Combo 10 Way Welding Wrench





Part Number	DESCRIPTION
23174510	White Metal Marker
471111	Belzona Super Medal Compound
47024	Belzone Fiberglass Roll

### WELDERS









Miller 200 SD

Miller 200 DX



Contractor Kit



XMT 304 CC/CV	
Input Power	Requires 3 or 1 Phase Power
Rated Output	225 A at 29 VDC, 1- Phase 300 A at 32 VDC, 3- Phase
Output Power Range	10-35 V, in the CV Mode
Weight	76 Lbs (34.5) Kg

Part Number	DESCRIPTION
	Miller XMT 304 CC/CV Welder

APPLICATIONS	PROCESSES
Heavy Industrial	TIG (GTAW)
Shipbuilding	AIR Carbon Arc (CAC-A)
Steel Erection	Pulsed MIG (GMAW-P)
Pipe	Pulsed TIG (GTAW-P)
Fabrication	Stick (SMAW)
Construction	MIG (GMAW)

PART NUMBER	DESCRIPTION
47907099	Miller Dynasty Welder 200 SD
47907099011	Miller Dynasty Welder 200 DX
47195054	Contractor Kit for Dynasty 200
477171	Shipboard Plug



PART NUMBER	DESCRIPTION
47130831	Miller Spoolmatic 30A
47137546	Miller Weld Control without Contractor 115VAC
471375849	Miller WC24 Weld Control

# PLASMA CUTTERS & WELDERS





PART NUMBER	DESCRIPTION
47151302	Cutmaster 52, 60 Amp. SL60, 75 Deg Head, 20 Ft Leads, 460V, 3 ph, 50/60Hz

- Front Panel LED's Indicate Status Conditions
- Versatile 1 Torch with ATC Disconnect
- Multi-Voltage Allows Operations From 208-480 Volts in a Single Power Supply
- Auto Pilot Restart
- Light Weight

ALL SERIES OF THERMAL DYNAMICS PLASMA CUTTERS ARE AVAILABLE. PLEASE CONTACT A RAYCO REP FOR MORE INFORMATION





PART	Number	DESCRIPTION
4742F52		Burco 502E Arc Stud Package Welder





PART	Number	DESCRIPTION
4742F08		Burco 802E Arc Stud Package Welder





PART	Number	DESCRIPTION
4755F05		Burco 1002E Arc Stud Package Welder

	,
Maximum Output	500 AMP
Rated Output (3% Duty Cycle)	450 AMPs
Input Voltage	460VAC (3PH)
Recommended Input Fuse Size	25 AMPs
Weldable Stud Range	1/16" to 5/16"
Weld Rate Pieces / Minute (5/16" Studs)	6
Output Current Range	100-600 AMPs
Dimensions & Weight	17" L x 9.5" W x 15" H & 64 Lbs

Maximum Output	800 AMP
Rated Output (3% Duty Cycle)	750 AMPs
Input Voltage	230V / 400V / 460V; 50 / 60 Hz
Recommended Input Fuse Size	35 / 25 AMPs
Weldable Stud Range	Thin Guage to 1/2" Diameter
Output Current Range	100-750 AMPs
Time Adjustment Range	10-120; 10-800MS
Dimensions	20.5" L x 12.5" W x 13.8" H
Weight	109 Lbs (45 Kg) & 109 Lbs

Maximum Output	1100 AMP
Input Voltage	208V / 230V / 400V / 460V; 50 / 60 Hz; 3 Ph.
RMS Input Current @ Rating	126-61
RMS Input Current Average	33/16
Recommended Input Fuse Size	60 / 30 AMPs
Weldable Stud Range	3/32" to 1/2" - 5/8" Maximum
Output Current Range	100 - 1000 AMPs
Stepless Time Adjustment Range	10-1200 MS
Dimensions & Weight	23.6" L x 12.8" D x 14.5" H & 190 Lbs

# WELDING ACCESSORIES

T
DESCRIPTION
Tungsten Electrode, 1/16" x 7" Pure
Tungsten Electrode, 3/32" x 7" Pure
Tungsten Electrode, 1/8" x 7" Pure
Tungsten Electrode, 1/16" x 7" 2%
Tungsten Electrode, 3/32" x 7 2%
Tungsten Electrode, 1/8" x 7" 2%
Welding Electrode, 7018, 3/32"
Tig Wire, 4043, 1/16"
Tig Wire, 5356, 1/16"
Tig Wire, 5356, 1/8"
Tig Wire, 5356, 3/32"
Tig Wire, RN60, 1/8"
Tig Wire, RN60, 3/32"
Tig Wire, 1/16"
Tig Wire, 3/32"
Electrode, 7018M, 3/32"
Electrode, 8018, 3/32"
Rod, ER308L ,1/16"
Rod, ER308L, 1/8"
Rod, Stainless 316L, 1/16" x 36"
Rod, Stainless 316L, 3/32" x 36"
Rod, Carbon Steel 70S2, 1/16" x 36"
Braze Wire, Grade 3, 1/8"
Braze Wire, Grade 3, 1/16"
Brazing Flux, 1 Lb Jar
Mig Wire, 5356, 0035", 1 b Spool
Mig Wire, 70S-6, 0.035", 2 Lb Spool
Rod Guard, 14"
Rod Guard, 18"
Rod Guard, 36"
3 - Rod Guard Rack
Burr Kit
Welding Gloves, Large










PART NUMBER	DESCRIPTION
4703110471	000-TE Brazing Tip
4703110472	00-TE Brazing Tip
4703110473	0-TE Brazing Tip
4703110474	1-TE Brazing Tip
4703110475	2-TE Brazing Tip
4703110587	3-TE Brazing Tip
4703110588	4-TE Brazing Tip
4703110589	5-TE Brazing Tip

DESCRIPTION





PART NUMBER





Part Number	DESCRIPTION
470330004	00-1-101 Welding Cutting Tip
4703300003	000-1-101 Welding Cutting Tip
4703300012	0-1-101 Welding Cutting Tip
4703300005	1-1-101 Welding Cutting Tip
4703300006	2-1-101 Welding Cutting Tip
4703300002	3-1-101 Welding Cutting Tip
4703300007	4-1-101 Welding Cutting Tip
4703300008	5-1-101 Welding Cutting Tip
4703300009	6-1-101 Welding Cutting Tip

# WELDING ACCESSORIES







PART	Number	DESCRIPTION
4707810	527	Oxygen Welding Regulator
4707810	584	Acetylene Welding Regulator
4707813	772	Two Stage Argon/Helium Regulator



PART NUMBER	DESCRIPTION
4703230191	FE Flexible Weld Nozzle w/o Tip End
4703820034	315FC Torch Handle
4703300116	Scarfing Tip #6 for 315FC
4703300116	Scarfing Tip #8 for 315FC













PART NUMBER	DESCRIPTION
4703840840	Portable Torch Outfit
65310200	Hose Repair Kit
64003341	Oxygen/Acetylene Hose 1/4" x 50'

## MATERIAL STORAGE












Ask about our CUSTOM, pre-engineered: modular cabinets, tool storage, safety storage, storage shelving units, and cantilever racks!!

Multiple Sizes and Varities Available!!

Contact your Rayco Rep Today!!









### MATERIAL HANDLING







ELECTRIC HOISTS MANUAL HOISTS

PALLET TRUCK



DRUM DOLLIES



RATCHET STRAPS



#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!

### MACHINERY



Part Number	DESCRIPTION
49350020	Milling/Drilling Machine



PART NUMBER	DESCRIPTION
49354401	15" Bench Model Drill Press 3/4 HP, 115V

### METALS & FITTINGS









### When requesting a quote for items in this category please provide the following:







Item Type
Adapter
Backing Ring
Сар
Coupling
Cross
Elbow 45
Elbow 90
Elbow LR
Elbow SR
Flange
Pipe
Reducing Elbow
Reducing Tee
Sheet Metal
Sleeve
Tee
Union
Y Lateral

Size
1/4" NPS
3/8" NPS
1/2" NPS
3/4" NPS
1" NPS
1-1/4" NPS
1-1/2" NPS
2" NPS
3" NPS
4" NPS
5" NPS
6" NPS
8" NPS
10" NPS
12" NPS
14" NPS
16" NPS
18" NPS

Ма	terial
Alu	minum 5052
Alu	minum 5086
Alu	minum 6061
Bro	nze
Car	bon Steel A105
Car	bon Steel A532
Car	bon Steel LF2
Chr	romemoly F-11
Cop	oper Nickel 70/30
Cop	oper Nickel 90/10
Gal	vanized
Ico	nel 600
Мо	nel 400
PV	C
Sta	inless Steel 304
Sta	inless Steel 304L
Sta	inless Steel 316
Sta	inless Steel 316L

Connection	Pressure Rating
Backing Ring	125#
Bell End	150#
Blind	200#
Butt Weld	250#
Sil-Braze	300#
Slip-On	3000#
Solder	400#
Socket Weld	500#
Threaded	6000#
Weld Neck	700#
	900#
	9000#
	SCH 10
	SCH 40
	SCH 80



#### Lokring and Swage fittings and valves available!!







## METALS & FITTINGS











Contact Rayco Supply, Inc for a quote on Pipes, Pipe Fittings, Backings Rings, & Valves!!











Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!













PART	Number	DESCRIPTION
447385		Single Lever Faucet



PART	Number	DESCRIPTION
442502		2-Handle Lavatory Faucet w/o Drain 4" Mounting Center

PART NUMBER	DESCRIPTION
443300CP	Push Button Faucet 4" Center









PART NUMBER	DESCRIPTION
44S4122	Single Push Button







PART NUMBER	DESCRIPTION
44SG4136	Double Push Button Metering 4" Centers



PART NUMBER	DESCRIPTION
44SC1220AF	Shower, Exposed
44RPG040323	4-Arm Handle for 44SC1220AF
44RPG030371	Spindle Assembly for 44SC1220AF
44SC1210AF	Shower, Polished Chrome Exposed
44S2270AF	Shower Head









PART NUMBER	DESCRIPTION
44S9010	Battery Powered 4" Lavatory Faucet1/2" NPSM Male Threaded Shanks
44S9020	AC Powered 4" Lavatory Faucet 120 VAC 3/8" Male Threaded Connectors




PART	Number	DESCRIPTION
44S8710		Battery Powered Sensor - Single Basin w/ 4" Deck Plate & 2 Lithium Batteries

- Battery Powered, Two 3-Volt Lithium Batteries
- Low Battery Warning Light When 10% Battery Life Remains
- All Components Housed Above the Counter
- Eliminate Wasted Water Flow
- Decrease Germ Transmission
- Ten to Sixty Second Timer



#### **Proper Hand Washing Procedure**



PART NUMBER	DESCRIPTION
44\$8728	Battery Powered, Sensor Activated Single Basin Lavatory Faucet with 8" Deck Plate and Under Counter Mixer w/ Built-in Backflow Check Valves



PART NUMBER	DESCRIPTION
43GXT6	Extreme Air Dryer, 120V, 50/60 HZ, 1500W
43GX1	Hand Dryer, 120V, 50/60 HZ, 1500 W



PART NU	MBER	DESCRIPTION
44B0232		6" Swing Spout
44B0231		12" Swing Spout
44B0206		15" Swing Spout
44B0230		18" Swing Spout



PART NUMBER	DESCRIPTION	
44B0133B	Pre-Rinse Unit - Wall Mount	
44B0178	Pre-Rinse Unit - Surface 8" Center 1/2" NPT w/ 12" Swing Spout	
44B0177	Pre-Rinse Unit - Surface 8" Center 1/2" NPT w/ 12" Swing Spout Faucet & 20" Hose	
44B0044H	44" Spray Flex Hose, Replacement	
44B0107	1.42 GPM Spray Head, Replacement	
44B0100	Pre - Rinse Spray w/ Auto Shut Off & 44" Hose	
440155	6" Add on Faucet for Pre-Rinse, Swing Spout	
44B0156	12" Add on Faucet For Pre-Rinse, Swing Spout	















PART NUMBER	DESCRIPTION
444540	Scuttlebutt - Drinking Fountain
44B121001	Pedestal Push Back Single Glass Filler (Base of flange outlet is 10"
44B1211	Pedestal Push Back Single Glass Filler (Base of flange outlet is 4")
44B1255	Glass Filler Repair Kit

PART NUMBER	DESCRIPTION
443057005	Flushometer Dolphin Exposed Water Closet
443057053	Flushometer Dolphin Exposed Urinal
440337136	Dolphin Flushometer Repair Kit
44BCWH11218	Water Hose Discharge, Black, 1-1/2" x 18", 150 Lb
44620024	Clamp Worm Gear Stainless, 1-1/16" - 2"
441861ESS	Exposed Flushometer, Urinal, Sensor Operated, 1 Gallon per Flush, Chrome Plated Finish, Inlet 3/4", Spud Coupling 3/4" - Military Spec V-29193





PART NUMBER	DESCRIPTION
44511150JTC	Chrome Plated Marine P-Trap, 1-1/2"
4440501	Closet Spud, 1-1/2"
44TU4	Urinal Auger
4409922499	Seat, 1955C Plastic EB of LC Black





#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!



**TOILET SEAT** COVER DISPENSERS



SHAMPOO & SOAP TRAYS



TOILET PAPER HOLDER SINGLE & DOUBLE ROLL AVAILABLE



SOAP DISHES



SOAP DISPENSER VERTICAL & HORIZONTAL AVAILABLE



PART NUMBER DESCRIPTION 44SVCWC Super-Vee Drain Cleaner 44MRA Mini Rooter Drain Cleaner 44MRCS Cutter Set for Drain Cleaners 44KRDWC Kinetic Water Ram

Simple to Operate ... Anyone can use it. 2. Insert in drain Standard Accessories Accessories Caulking Hose Toilet Attachments 4" Tapered Rubber Cone Metal Carrying Case Set of Five Tapered Rubber Plugs 6" Tagered Rubber Cone 1-1/2", 2", 3" and 4" Expansion Plugs



PART NUMBER	DESCRIPTION
44J1450A	Gen-Wire Electric Jet
44SWA1500	Spray Wand for 44J1450A

Universal Faucet Adapter Water Supply Hose Check Valve

General manufactures a full line of sewer and drain cleaning equipment, including water jets and video pipe inspection and location systems.



5-Piece Cutter Set For Use Only With Cables Having Connectors

















The General Wire J-1450 Electric Jet Basic Unit Includes:

- The Electric Basic Unit including 1-1/2"HP motor with GFI (115V/13 Amp)
- 1500 PSI/1.7GPM triplex pump with Vibra-Pulse
- 200 Ft capacity hose reel
- Two semi-pneumatic tires
- Slide out handle
- Pressure Gauge
- Rubber Gloves

The J-1450 has the same drain cleaning power as our popular J-1600, but it's compact size can take this jet into some really tight spaces



PART NUMBER	DESCRIPTION
44CGPA	MINI-POD with 125 Ft
44CGPB	Same as CGPA, plus Digital Locator w/ Padded Bag
44CGPC	MINI-POD with 175 Ft
44CGPD	Same as CGPC, plus Digital Locator w/ Padded Bag

PART NUMBER	DESCRIPTION
44SLGPE	POD with Self-Leveling Color Camera, 200 Ft. Gel-Rod, and Sonde
44SLGPF	Same as SLGPE, plus Digital Locator withPadded Bag

GEN-EYE MINI-POD CAMERA SYSTEM


- 5.6" LCD Screen
- Color Mini-Camera
- Open Mini Reel
- 3" Trap Skid

GEN-EYE POD CAMERA SYSTEM

- 5.6" LCD Screen
- Camera
- Open Full-Size Reel 3" & 6" Trap Skid

#### The Pod Features:

- 5.6" LCD Screen in padded case with sunscreen.
- Flexible gooseneck can be adjusted to optimum viewing angle with 355 degree swivel.
- Mini-Reel with 125 ft. or 175 ft. of push rod.
- Color Mini Camera to inspect 2" to 4" lines.
- Video Out connection to record on external device.
- 512 Hz Transmitter option for easy camera location.
- Rugged frame and reel with drag brake and reel lock.
- Can be operated vertically or horizontally.
- LED Dimmer Control.





### ENGRAVING

PART NUMB	ER DESCRIPTION
41TM01	Black on White, Rotary Engraving Sheets
41TM02	White on Black, Rotary Engraving Sheets
41TM03	Red on White, Rotary Engraving Sheets
41TM04	Blue on White, Rotary Engraving Sheets
41TM05	Green on White, Rotary Engraving Sheets
41TM06	Yellow on Black, Rotary Engraving Sheets
41TM16	White on Red, Rotary Engraving Sheets
41TM17	White on Blue, Rotary Engraving Sheets
41TM19	White on Green, Rotary Engraving Sheets
41M90	Gold on Black, Rotary Engraving Sheets
41M93	Silver on Black, Rotary Engraving Sheets









PART NUMBER	DESCRIPTION
41896F	Military Ribbon Bar w/ Adhesive Back & Clutches, Box of 100
41GT40P	Pre-Assembled Magnetic Gripper
4196800	Bulldog Clips w/ Adhesive Back, Bag of 100
412001236	Tape, Clear, Double Sided, 2" Wide x 36 yards
414085	Tape, Polyurethane Foam, Double Sided, 1/2" x 72 yards x 1/32"
413046130M	Gravoxide for Brass
41999127	Gravo-Bond Liquid Bond
41OXB	Oxidation Solution

PART NUMBER	DESCRIPTION
41LZ901	Black on White, Laserable Engraving Sheets
41LZ902	White on Black, Laserable Engraving Sheets
41LZ903	Red on White, Laserable Engraving Sheets
41LZ904	Blue on White, Laserable Engraving Sheets
41LZ905	Green on White, Laserable Engraving Sheets
41LZ906	Yellow on Black, Laserable Engraving Sheets
41LZ916	White on Red, Laserable Engraving Sheets
41LZ917	White on Blue, Laserable Engraving Sheets
41LZ919	White on Green, Laserable Engraving Sheets
41LZ990M	Brushed Gold on Black, Laserable Engraving Sheets
41LZ993	Glossy Silver on Black, Laserable Engraving Sheets
41LZ994	Radiant Gold on Black, Laserable Engraving Sheets



#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!



# ENGRAVING



PART NUMBER	DESCRIPTION
41316	Brass, Black Enamel
41314	Brass, Trophy
41NTBGBBC	Name Tag, 1" x 3", Gold on Black w/ Bevel & Clutch back
41962601BG	Name Tag, 1" x 3", Black on GoldClutchless
41NTBW13BC	Name Tag, 1" x 3", Black on White w/ Bevel & Clutch Back
41NTBLW13BC	Name Tag, 1" x 3", Blue on White w/ Bevel & Clutch Back



PART NUMBER	DESCRIPTION
41SM96	Table Shear, Brass/Aluminum Cutter
41SM95	Table Shear, Plastic/Flexible Engraving Stock Cutter
41SM9596UB	Upper Replacement Blade for 41SM95
41SM9586LB	Lower Replacement Blade for 41SM95





ALUMA <b>Mark</b>	M
Laser Markable Aluminum	

		Other Colors Available
415266		Satin Silver Alumamark Sheet 12" x 20" x 0.20", Box of 5 Sheets
PART Nu	MBER	DESCRIPTION

PART NUMBER	DESCRIPTION	
41PLEX14	Plexiglass, Laserable, Clear 24" x 48" x 1/4"	
41PLEX18	Plexiglass, Laserable Clear 24" x 48" x 14"	
	Blank Solid Wood Plaques Special Sizes, Types, and Ordering Available	
41W1012S	Walnut Shield, 10" x 12"	
41W0912R	Walnut, Rectangle, 9" x 12"	
41SOP9	Oak, Rectangle, Beveled Edge & Two Key Holes, 9" x 12"	
41W0912R	Walnut, Rectangle, Roman Edge, 9" x 12"	



### ABRASIVES




PART NUMBER	DESCRIPTION
4029361	Sandpaper, 9" x 11", 80 Grit
4029360	Sandpaper, 9" x 11", 100 Grit
4029359	Sandpaper, 9" x 11", 120 Grit
4029358	Sandpaper, 9" x 11", 150 Grit
4029357	Sandpaper, 9" x 11", 180 Grit
4029356	Sandpaper, 9" x 11", 220 Grit
4029353	Sandpaper, 9" x 11", 320 Grit
4029351	Sandpaper, 9" x 11", 600 Grit







PART NUMBER	DESCRIPTION
4010561	Disc Link Roll 6 x 0 Stick-On, 220 Grit
4010562	Disc Link Roll 6 x 0 Stick-On, 180 Grit
4010565	Disc Link Roll 6 x 0 Stick-On, 120 Grit
4010566	Disc Link Roll 6 x 0 Stick-On, 100 Grit
4010567	Disc Link Roll 6 x 0 Stick-On, 80 Grit











Part Number	DESCRIPTION
4044053	Scratch Brush, Curved Wood Handle, 14" Block, 7/8" Block Width, 3 x 19 Steel, 5-1/2" Brush Length, 1-3/16" Trim Length
4044057	Scratch Brush, Curved Wood Handle, 14" Block, 1-1/8" Block Width, 4 x 19 Stainless Steel, 6" Brush Length, 1-3/16" Trim Length







PART NUMBER	DESCRIPTION
4044167	Scratch Brush, Small Hand, Curved Wood Handle, 7-1/2" Block, 1/2" Block Width, 3 x 7 Stainless Steel, 1/2" Trim Length
4044189	Scratch Brush, Small Hand, Curved Wood Handle, 7-1/2" Block, 1/2" Block Width, 3 x 7 Brass, 1/2" Trim Length

PART NUMBER	DESCRIPTION
4044067	Scratch Brush, Wood Block Type, 7-1/4" Block, 2-1/4" Block Width, 6 x 19 Steel, 7" Brush Length, 1-5/8" Trim Length



PART NUMBER	DESCRIPTION
4044088	Brush, Acid/Flux, Cylindrical Aluminum Handle, 5-3/4" OAL, 5/16" Width, 3/4" Trim Length
4044089	Brush, Acid/Flux, Cylindrical Aluminum Handle, 5-3/4" OAL, 3/8" Width, 3/4" Trim Length
4044090	Brush, Acid/Flux, Cylindrical Aluminum Handle, 5-3/4" OAL, 1/2" Width, 3/4" Trim Length



#### Don't see what you are looking for.....

Contact your Rayco Rep for more information regarding the products in this category!!




Rayco Supply, Inc. has been proud to adopt new business practices that help support environmental sustainability. Listed below are a few of the ways we have accomplished this goal.

- 100% recycled packaging materials for all product shipping.
- Utilize local distribution centers, helping to eliminate cross country traveling.
- Our new IT system is designed to support electronic documentation which includes our catalogs, thus eliminating the need for multiple paper copies.
- 2011 marks another year that Rayco will proudly introduce fresh, new product lines that promote environmental friendliness and comply with green practices.
- This catalog is printed on recycled paper with non-toxic, biodegradable ink.

We believe that any impact, large or small has an effect on everyone and everything. We are proud of our accomplishments and are always striving to improve our practices

### 2011 RAYCO SUPPLY GREEN PRODUCTS FRIENDLY

PART NUMBER	DESCRIPTION
RB1412901	Battle Lantern
4820B	Battle Lantern Bulb, Box of 12
48BLLEDUK4W	White LED Upgrade Kit, Face
48BLLEDUK2R	Red LED Upgrade Kit, Face
48BLKPR	Rechargeable Battle Lantern
48BLK1TSWLED	Combined Conversion Kit - White (Non-Rechargeable to Rechargeable
48BLK1TSRLED	Combined Conversion Kit - Red (Non-Rechargeable to Rechargeable
48BLB65S	Rechargeable battery














PART NUMBER	DESCRIPTION
22831556	66 LED Work Light
	- 60 Led floodlight runs 4 hours - 6 LED flashlights runs 24 hours - Quick Charger - Charges in only 3 hours - Charges on 100/220 AC or 12 Volt DC NiMH batteries - Over 500 cycles - Low life battery indicator - Dual mode switch - Virtually indestructible - Water resistant SLR-26666 LED work light





Part Number	DESCRIPTION
960195	Charger
960196	4-Pack AA
960197	4-Pack AAA



# INSURV-NAVAIR-NAVSEA







PRODUCT	Number	DESCRIPTION
917761		Vacuum, High Efficiency



PRODUCT	Number	DESCRIPTION
55LFH1016		Ladder, 16 Ft Min Type 1A OSHA 300# Capacity *Meets NAVAIR Requirements

PRODUCT NUMBER	DESCRIPTION
69410	Hammer, Ball Pein (1-1/2 Lb)
944271	Handle, 3/8" Drive Speed
23317201	Pliers, 9" Locking
945764	Pliers, Linesman
945766	Pliers, 10" Rib Joint
945379	Pliers, 8" Slip Joint
945380	Pliers, 10" Slip Joint
945760	Pliers, 6" Slip Joint
945102	Pliers, Long Need Nose
70193	Punch, 10" Drift
45N352	Safety Flashlight
936142	Hack Saw Frame
20172086	Hack Saw Spare Blades
947186	Screwdriver, Phillips #2
947187	Screwdriver, Phillips #3
947191	Screwdriver, 3/16" Flat Tip, 6" Long
947197	Screwdriver, 5/16" Flat Tip, 10" Long
4819820157	V-Blade Rescue Knife
944603	Wrench, 8" Adjustable
944605	Wrench, 12" Adjustable
48DC2510	Wrench, Fire Hose Spanner
64520015	Tool Box/Roll
946545	Wrench, T-Handle 7/32" Hex



PRODUCT NUMBER	DESCRIPTION
48R631	30" Std. Claw Holligan Entry Tool

Ркодист	Number	DESCRIPTION
6458875A52		Chisel, Off-Set 36" L, 8 Lb

Ladder for illustration purposes

### INSURV-DAMAGE CONTROL

### INSPECTION & SURVEY CHECK-OFF LIST

#### PHOTOLUMINESCENT MARKINGS

PART NUMBER	DESCRIPTION
453MNKITB	Bulls Eye Kit Blue
453MNKITR	Bulls Eye Kit Red
453MNCHAR2R	Individual Characters, Red
453MNCHAR2B	Individual Characters, Blue
453MN128PL	15" x 12" Backing for Bullseye
453MN050DG	PKP
453MN051DG	CO2
453MN051DG	AFFF
453MN601PL	FM Pipe Markings
453MN602PL	AFFF Pipe Markings
453MN603PL	CW Pipe Markings
453MN604PL	JP-5 Pipe Markings
453MN605PL	Arrow Pipe Markings
453MN131PL	Photolum Tape, 1" x 50 Yds
453MN132PL	Photolum Tape, 2" x 50 Yds
453MN056DG	Escape Trunk Marker
	453MNKITB 453MNKITR 453MNCHAR2R 453MNCHAR2B 453MN128PL 453MN051DG 453MN051DG 453MN051DG 453MN601PL 453MN603PL 453MN604PL 453MN605PL 453MN605PL 453MN131PL

#### FLASH GEAR/GQ HOODS

QUANTITY	PART NUMBER	DESCRIPTION
	48191202419	Hood, Anti Flash for GQ
	4819813396	Hood, Firefighting, PBI Gold, Double Layer
	RB2679661	Anti Flash Gloves











Questions, Quotes, Comments

Phone: 757-431-0695

Fax: 757-431-2634

E-mail: rayco@raycosupply.com

QUANTITY	DESCRIPTION	2"x 2"	3" x 3"	4" x 4"
	X-Ray	453MN003DG	453MN002DG	453MN001DG
	Yoke	453MN006DG	453MN005DG	453MN004DG
	Zebra	453MN009DG	453MN008DG	453MN007DG
	William	453MN012DG	453MN011DG	453MN010DG
	Circle X-Ray	453MN015DG	453MN014DG	453MN013DG
	Circle Yoke	453MN018DG	453MN017DG	453MN016DG
	Circle Zebra	453MN021DG	453MN020DG	453MN019DG
	Circle William	453MN024DG	453MN023DG	453MN022DG
	Darken Ship Zebra	453MN027DG	453MN026DG	453MN025DG
	Normally Open	453MN030DG	453MN029DG	453MN028DG
	Normally Shut	453MN033DG	453MN032DG	453MN031DG

#### DRAEGER TUBES

QUANTITY	PART NUMBER	DESCRIPTION
	486728241	Ethylene Oxide 25/A Gas Detector Tube
	488101521	Phosgene 0.02/A Gas Detector Tube
	488101721	Vinyl Choloride 0.5/B Gas Detector Tube
	488101831	Hydrogen Sulfide 1/D Gas Detector Tube
	48CH20601	Carbon Monoxide 10/B Gas Detector Tube
	4823501	Carbon Dioxide 0.1%/A Gas Detector Tube
	48CH25701	Hydrocyanic Acid 2/A Gas Detector Tube
	48CH29501	Hydrochloric Acid 1/A Gas Detector Tube
	48CH30001	Nitrogen Dioxide 0.5/C Gas Detector Tube
	48CH30301	Hydrogen Flouride 1.5/B Detector Tube
	488103111	Oil 10 Pn 5 MG/M3
	488103061	Water Vapor 20/A-P 20-500 MG/M3
	486733181	Ozone 0.05/B 0.05-1.4 PPM
	488101661	Toluene 5/B 5-300 PPM 0.05/B 0.05
	488101741	Benzene 15/A 15-420 PPM
	48CH20501	Ammonia 5/A 5-700 PPM
	48CH21101	Trichloroethane 50/D 50-600 PM
	48CH22901	Acetone 100/B 100-12,000 PPm
	48CH24301	Chlorine 0.2/A 0.2-30 PPM
	48CH31701	Sulfur Dioxide 1/A 1-25 PPM

www.raycosupply.com





Dogging, Spanner, T-Wrench				
QUANTITY	PART NUMBE	R	DESCRIPTION	
	48DC2520		Dogging Wrench	
	48DC2535		Deck Drain T-Wrench	
	48DC2510		Aluminum Combo Spanner Wrench	
	DECK DRAI	N	& SCREWS	
QUANTITY	PART NUMBER	2	DESCRIPTION	
	48DC2536		1-1/2" Bronze Type A Deck Drain	
	48DC2537		2" Bronze Type A Deck Drain	
	48DC2538	İ	1-1/2" Bronze Type A Deck Drain	
	48DC2539		2" Type A Deck Drain Repair Kit	
	48DC2545		Deck Drain Strainer Screws Box of 50	
Fı	RE HOSE &	ŀ	Accessories	
QUANTITY	Part Number	D	ESCRIPTION	
	48DC2542	Fir	ire Hose Assembly 1-1/2" x 50'	
	48DP17600OBR1 F		Hose, FF 1-3/4" x 50 Ft w/ 1-1/2" Brass Fittings	
			Fire Hose Assembly 2-1/2" x 50'	
	48DC2565		Fire Hose Assembly 1-1/2" x 25'	
	48DP15600PUX50		Poable Water Hose-Blue 1-1/2" x 50'	
	48DP25600PUX50 F		otable Water Hose-Blue 2-1/2" x 50'	
	48FHS36RWC	Fir	Fire Station Strap	
	48DC2513	1-1	I-1/2" Vari Nozzle, 125 GPM	
	48DC2512	1-1	-1/2" Vari Nozzle, 95 GPM	
	48B100N	Wy	/ye Gate, Navy Brass	
W	ATER TIGHT		Door Parts	
QUANTITY	PART NUMBER		DESCRIPTION	
	RB3717183		Water Tight Door Gasket 160' Roll	
	59JE538MKAT		Complete upgrade Kit for Low Hinge Airtight Door *Three Kits Required Per Door	
	59JE538MKWT		Complete Upgrade Kit for Low Hinge Watertight Door *Two Kits Required per Door	
	59JESDD161		Steel QAWT Dog Bearing Kit	
	59JESIDD171		Steel IDWT Dog Bearing Kit	
	59JEADD161		Aluminum QAWT Dog Bearing Kit	
	59JEAIDD171		Aluminum IDWT Dog Bearing Kit	

*All NTD &	WTD Doors &	Parts Available

Ladder Tread and Toggle Pin Information Please Call

HOSE GLOBE VALVE				
QUANTITY	Part Number		DESCRIPTION	
	521474300		Hose Globe Valve 1-1/2"	
	521474450		Hose Globe Valve 2-1/2"	
	521484300		Angle Hose Globe Valve 1-1/2"	
	521484450		Angle Hose Globe Valve 2-1/2"	
Overboard Discharge Fitting				
QUANTITY	Part Number		DESCRIPTION	
	5194450FNAVY		Coupler Double Female Hose Brass 2.5" FNAVY x 2.5 MNST	
	51196450		Plug Hose Brass 2.5"	
	5173600		Adapter Swivel Inlet	
AIR TEST CAPS				
QUANTITY	PART NUMBER		DESCRIPTION	
4866234B			Hose Air Test Cap 3/4" Brass Pin Lug w/ Chain	
48662112B			Hose Air Test Cap 1-1/2" Brass Pin Lug w/ Chain	
BATTLE LANTERN				
QUANTITY	Part Number		DESCRIPTION	
	RB1412901		Battle Lantern	
4820B		Ва	Battle Lantern Bulbs (MFG Minimum)	
	960131	9	Volt Alkaline Battery	
EXTINGUISHERS AND TAMPER SEALS				
QUANTITY	Part Number	DE	ESCRIPTION	
	48431999 E		extinguisher, CO2 15# MILSPEC	
4815832		Exti	Extinguisher, PKP 27# MILSPEC	
4825425		Exti	Extinguisher, PKP 27# MILSPEC	
RB44610105		Tan	Tamper Seals Box of 100	
Non Skip Strips				
QUANTITY	PART NUMBER	D	ESCRIPTION	
	960104	No	on Skid 3/4" x 2' General Purpose	
	960105	No	on Skid Strips 6" x 2' General Purpose	
	960106	6"	x 2' Conformable	

# Rayco Supply, Inc.

Providing the U.S. Military with Quality Products for Over 18 Years



#### Woman-Owned Small Business

Phone: 757-431-0698 Fax: 757-431-2634 Email: Rayco@raycosupply.com







CUTTING WHEELS, GRINDING DISCS, FLAPPER WHEELS, SAND PAPER, SANDING BELTS, TOOL ROOM DRESSERS, HONES, AND ATTACHMENTS



DAMAGE CONTROL

AFFF, MILSPEC FIRE HOSES, WRENCHES (SPANNER, TEE & DOGGING), HOSE REELS, DECK DRAINS, SOUNDING TAPE, FLASH GEAR & MUCH MORE



DECK GRATING

GANGWAYS, LADDERS, ACCOM LADDERS, LADDER TREADS, GRATING, AND REPAIR PARTS



ENGRAVING

ENGRAVERS, ENGRAVING PLASTICS FOR ALL TYPES OF ENGRAVERS, NAME TAGS, BACKING, RIBBON BARS, PLAQUES, AND ENGRAVING BRASS



FASTENERS

ALL TYPES OF FASTENERS IN VARIOUS ALLOYS AND MILSPEC STANDARDS



PIPE FITTINGS / FLANGES CUNI, SIL-BRAZED, STEEL, FITTINGS AND FLANGES BOTH NAVY AND COMERCIAL IN VARIOUS SIZES AND CONNECTIONS



PLUMBING

EXPOSED URINALS, FLUSHOMETERS, DRAIN ROOTERS, WATER RAMS, SPECIALIZED PLUMBING TOOLS.



VALVES

GATE, GLOBE, ANGLE, BUTTERFLY, AND CHECK VALVES, MANY VARIATIONS AND MATERIALS



WELDING

ALL TYPES OF WELDERS, TORCHES, TIPS, ELECTRODES, ROD, WIRE, CONSUMABLES, AND REPAIR PARTS



www.raycosupply.com

Rayer Supply, Inc.



**IALL** Visit us online and view our catalogs



#### **MISSION STATEMENT**

TO CONDUCT BUSINESS WITH INTEGRITY, FAIRNESS,

AND HONESTY TO BOTH EXTERNAL AND INTERNAL

CUSTOMERS. TO PROVIDE OUR CUSTOMERS WITH

THE BEST VALUE PRODUCT. TO SATISFY AND EXCEED

EXPECTATIONS ON COST, QUALITY, AND TIMELINESS.

HENCE OUR MOTTO "RIGHT AWAY YOURS"

OUR QUEST IS TO BE COMPETITIVE, PROFITABLE, AND
ADMIRED

...TO BE THE BEST...



**Rayco Supply Contact Information** 

Phone: 757-431-0698 Fax: 757-431-2634

Email: Rayco@raycosupply.com

www.raycosupply.com

